



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/663,843	09/15/2000	Hiroimi Okubo	197311US2	4370
22850	7590	02/23/2005	EXAMINER	
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			LE, BRIAN Q	
			ART UNIT	PAPER NUMBER
			2623	

DATE MAILED: 02/23/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/663,843

Applicant(s)

OKUBO ET AL

Examiner

Brian Q Le

Art Unit

2623

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 12 November 2004.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-34 is/are pending in the application.
- 4a) Of the above claim(s) 3 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1, 2, 4-13 and 16-34 is/are rejected.
- 7) ☒ Claim(s) 14 and 15 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

Art Unit: 2623

***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/12/2004 has been entered.

**Response to Amendment and Arguments**

2. Applicant's arguments with regard to claims 1-2 and 4-34 have been fully considered, but are not considered persuasive because of the following reasons:

Regarding claim 1, the Applicant argues Hayashi does not disclose the degree-of-white-background-likeness detection unit. Since the term degree-of-white-background-likeness is not specifically defined in the claim, it is subjected to broad interpretation. Thus, one skilled in the art can interpret degree-of-white-background-likeness is the gray detection of the detecting area (Hayashi, FIG. 1B; column 4, lines 7-22). To further assist the Applicant with the guidance with claim language interpretations so that the Applicant can add further/more details limitations from the specification to the claims to overcome the prior arts, the Examiner is presenting MPEP, section 2111, Claim Interpretation; Broadest Reasonable Interpretation as follow: "The court explained that "reading a claim in light of the specification, to thereby interpret limitations explicitly recited in the claim, is a quite different thing from reading limitations of the specification into a claim,' to thereby narrow the scope of the claim by implicitly adding disclosed limitations which have no express basis in the claim." The court found that applicant was advocating the latter, i.e., the impermissible importation of subject matter from the

Art Unit: 2623

specification into the claim.). See also *In re Morris*, 127 F.3d 1048, 1054-55, 44 USPQ2d 1023, 1027-28 (Fed. Cir. 1997) (The court held that the PTO is not required, in the course of prosecution, to interpret claims in applications in the same manner as a court would interpret claims in an infringement suit. Rather, the “PTO applies to verbiage of the proposed claims the broadest reasonable meaning of the words in their ordinary usage as they would be understood by one of ordinary skill in the art, taking into account whatever enlightenment by way of definitions or otherwise that may be afforded by the written description contained in applicant’s specification.””).

The Applicant further argues (page 15) that Sikes does not disclose the detecting a concentration of white pixels, which defined as a contiguous area of more than a predetermined number of pixels having pixel values whiter than a predetermined threshold. The Examiner respectfully disagrees. Sikes clearly teaches a method of determine the concentration of white pixels (the apparatus analyze digitized image that counts the number of white pixels of the image) being defined as a contiguous area (percentage of white) of more than a predetermined number of pixels having pixel values whiter than a predetermined threshold (the white intensity value of white pixels that is greater than half way within the total range/predetermined threshold) (column 18, lines 49-55).

Thus, the rejections of all of the claims are maintained.

***Claim Rejections - 35 USC § 112***

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Art Unit: 2623

4. Claims 1, 9, 11, 24, 27, 30 and 32 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Regarding the claims 1, 9, 11, 24, 27, 30 and 32, the original specification does not show the support for the detection of concentration of white pixels, said concentration of white pixels being defined as a contiguous area of more than a predetermined number of pixels having **pixel values whiter than a predetermined threshold** (emphasis added). Nowhere in the cited locations page 40, line 1 to page 48, line 24 and Figures 34-38 show the support for this limitation. The Applicant needs to point out the exact page and line number of the original disclosure that show the support for this limitation.

***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1, 2, 4-10, and 30-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Hayashi U.S. Patent 5,754,708 and Suzuki U.S. Patent No. 5,742,410 and further in view of Sikes U.S. Patent No. 6,058,201.

Regarding claim 1, Hayashi teaches an image processing device (abstract), comprising:

Art Unit: 2623

A filtering unit (FIG. 8) configured to filter an input image with variable frequency characteristics (variable edge emphasis adjustment) (FIG. 12 and column 13, lines 16-23);

An edge detection unit configured to detect a magnitude of an edge appearing in the input image (FIG. 1A, element 4b); and

A degree-of-white-likeness detection unit (gray level judging/detection) (FIG. 1B) configured to detect a degree of white-background likeliness in respect of a local area of the input image, wherein said filtering unit changes the variable frequency characteristics in response to the magnitudes of edges (FIG. 12) and to the degrees of white-background likeliness (column 14, lines 1-15).

Hayashi does not clearly teaches the detection of concentration of white pixels, said concentration of white pixels being defined as a contiguous area of more than a predetermined number of pixels having pixels values whiter than a predetermined threshold and an edge-magnitude-conversion unit configured to convert the detected magnitude of the edge into a filter factor responsive to the detected degree of white-background likeliness and wherein said filtering unit changes the variable frequency characteristics in response to the filter factor obtained by said edge-magnitude-conversion unit. Sikes teaches a method of determine the concentration of white pixels (the apparatus analyze digitized image that counts the number of white pixels) being defined as a contiguous area (percentage of white) of more than a predetermined number of pixels having pixel values whiter than a predetermined threshold (the white intensity value of white pixels that is greater than half way within the total range/predetermined threshold) (column 18, lines 49-55). In addition, Suzuki teaches an image processing method wherein an edge-magnitude-conversion unit (FIG. 11a and 11b) configured to convert the detected magnitude of

Art Unit: 2623

the edge into a filter factor (convert the edge coefficient) (FIG. 17, element 214) responsive to the detected degree of white-background likeliness (black edge degree) (FIG. 9, element 118) (the determination of black edge degree is also result the determination of white-background likeliness as well. This is clearly discloses at FIG. 8) and filter unit changes the variable frequency characteristics in response to the filter factor (FIG. 7; column 5, lines 66-67) obtained by said edge-magnitude-conversion unit. Modifying Hayashi's method of processing image according to Sikes would able to calculate the concentration of white pixels in further detecting a degree-of-white-background-likeliness. Also, by modifying Hayashi's method of processing image according to Suzuki would able to further calculate the color deviation/difference, chroma adjustment and further processing the image with edge conversion (column 5, lines 8-18). This would improve processing and therefore, it would have been obvious to one of the ordinary skill in the art to modify Hayashi according to Sikes and Suzuki.

For claim 2, Hayashi teaches the image processing device wherein said degree-of-white-background-likeliness detection unit marks white backgrounds and boundary areas adjacent to the white backgrounds as white-background areas, and marks other areas as non-white-background areas (The detection between the dotted image/detected area versus not detected area) (column 2, lines 37-65).

For claim 4, Hayashi teaches the image processing device wherein said edge-magnitude-conversion unit converts the magnitudes of edges such that the variable converts the detected magnitudes of the edge such that the variable frequency characteristics enhances high frequency components to an increased degree at edge areas as the degree of white-background likeliness

Art Unit: 2623

increases (gray level adjustment, increases respectively, depends on the white-background likeliness/gray level increases) (column 13, lines 59-67 and column 14, lines 1-19).

For claim 5, Hayashi further teaches the image processing device wherein said filtering unit enhances high frequency characteristics of the variable frequency characteristics of the variable frequency characteristics at edge areas according to the filter factor, the enhancement of the high frequency characteristics being made relative to the variable frequency characteristics applied to non-edge areas (column 13, lines 59-67 and column 14, lines 1-19).

Referring to claim 6, Hayashi teaches the image processing device wherein said filtering unit includes:

A first filter having a frequency characteristic that is space invariant over all areas of the input image (Hayashi teaches the character/line area filter is giving the output regardless the selected areas of the input image) (FIG. 10, element 8B); and

A second filter (dotted image filter) (FIG. 10, element 8A) having a high-frequency-enhancement characteristic, and has an output level of the second filter being adjusted in response to the filter factor (column 11, lines 50-58).

Regarding claim 7, Hayashi discloses the image processing device wherein the frequency characteristic of said first filter enhances edges while suppressing generating of moiré in mesh-dot image areas (refrain moiré occurrences) (column 13, lines 10-14).

For claim 8, Hayashi also discloses the image processing device wherein said first filter has a band-frequency-enhancement characteristic (smoothing processing) (column 13, lines 10-14 and column 14, lines 20-27).



Art Unit: 2623

Regarding claims 9-10, please refer back to claims 1-2 and 6 respectively for further explanation.

For claim 11, please refer to claim 1 for the explanation of degree-of-white-background-likeness concept. In addition, Hayashi teaches a gray-level conversion unit which configured to converts a gray level of the input multi-level image according to conversion characteristics that change in response to the degree of white-background likeness (column 13, lines 50-55 and column 14, lines 1-15). Hayashi does not clearly teaches a detection of concentration of white pixels in a binary image obtained by binarizing an input multi-level image, and to detect a degree of white-background likeness in respect of a local area of the input multi-level image in response to the detected concentration of white pixels. Sikes teaches an image processing method further teaches a detection of concentration of white pixels in a binary image obtained by binarizing an input multi-level image, and to detect a degree of white-background likeness in respect of a local area of the input multi-level image in response to the detected concentration of white pixels (column 12, lines 20-27). Modifying Hayashi's method of processing image according to Sikes would able to further calculate the concentration of white pixels in the whole image. This would improve processing and therefore, it would have been obvious to one of the ordinary skill in the art to modify Hayashi according to Sikes.

Also to claim 12, Hayashi teaches the image processing device wherein said gray-level conversion unit includes:

A plurality of gray-level conversion units (different gray level conversions) configured to convert the gray level of the input multi-level image according to respective conversion characteristics (column 4, lines 7-22); and

Art Unit: 2623

A selection unit (selector) configured to select one of said plurality of gray-level conversion units in response to the degree of white-background likeliness (FIG. 12).

For claim 13, please refer back to claim 2 for the explanation.

Regarding claim 16, Hayashi further teaches the image processing device wherein a gray-level conversion characteristic applied to the white-background areas converts an input gray level of the input multi-level image into a greater value than a gray-level conversion characteristic applied to the non-white-background areas in a range of input gray levels above a predetermined gray level (column 10, lines 1-23).

Regarding claims 17 and 18, please refer to claim 16 for the explanation.

For claim 20, Hayashi further teaches the image processing device wherein the input multi-level image supplied to said degree-of-white-background-likeness detection unit is an image obtained after a filtering process that has such a frequency characteristic as to smooth isolated dots (FIG. 11, element 81 and column 13, lines 1-14).

Regarding claim 21, Hayashi discloses the image processing device wherein the input multi-level image supplied to said degree-of-white-background-likeness detection unit is an image obtained after size-change process (FIG. 1, elements 2, 3, 4, 8, 10 and 11).

Regarding claim 24, please refer back to claims 11-12 for the explanation.

For claim 26, please refer back to claim 16 for further explanation.

For claim 27, please refer back to claim 11 for the explanation.

Regarding claim 28, please refer back to claim 12 for the explanation.

For claim 29, please refer back to claim 2 for the explanation.

Art Unit: 2623

For claim 30, please refer back to claim 1 for the explanation. Also, Hayashi teaches the image output unit configured to reproduce a filtered image (FIG. 1, element 11).

Regarding claim 31, please refer back to claim 2 for the explanation.

For claim 32, please refer back to claim 11 and claim 12 for the explanation.

Regarding claim 33, please refer back to claim 12 for the explanation.

For claim 34, please refer back to claim 2 for the explanation.

6. Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Hayashi U.S. Patent No. 5,754,708, Suzuki U.S. Patent No. 5,742,410, Sikes U.S. Patent No. 6,058,201 as applied to claim 11 above, and further in view of Farrell U.S. Patent No. 6,222,642.

Regarding claim 19, as discussed in claim 11, Hayashi teaches the gray-level conversion characteristic applied to the white-background area. In addition, Farrell teaches a method of processing image wherein the gray-level adjustment can be adjusted by user operation (column 3, lines 35-38). Modifying Hayashi's method of processing input images according to Farrell would be able to allow the user to adjust the gray-level of the image and thus improve the quality of the reproduced image. This would improve processing and therefore, it would have been obvious to one of the ordinary skill in the art to modify Hayashi according to Farrell.

7. Claims 22-23 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Hayashi U.S. Patent No. 5,754,708, Suzuki U.S. Patent No. 5,742,410, Sikes U.S. Patent No. 6,058,201 as applied to claim 13 above, and further in view of Sakano U.S. Patent No. 5,473,444.

Regarding claim 22, Hayashi teaches a block-generation unit which divides an area-detected image into a plurality of blocks (FIG. 2, FIG. 3, FIG. 6, and FIG. 7). However, Hayashi

Art Unit: 2623

does not teach the count unit to keep tracks and mark the white-background pixel. Sakano teaches a method processes the image that keeps track and marks white-background pixel detection (FIG. 8 and column 4, lines 5-12). Modifying Hayashi's method of processing input images according to Sakano would able to distinguish and keep track of white-background pixels in the image processing. This would improve processing and therefore, it would have been obvious to one of the ordinary skill in the art to modify Hayashi according to Sakano.

For claim 23, Hayashi further teaches the image processing device wherein the blocks are square shaped (FIG. 3).

Regarding claim 25, Hayashi teaches area detection unit includes a thresholding unit which carries out thresholding of the input multi-level image to generate a binary image (please refer back to claim 16). In addition, Sakano further teaches the limitation of counting the white pixels (as discussed in claim 22), expansion unit (FIG. 12, element 193 and element 196; and column 4, lines 13-21) and logical AND unit which obtains a logical product of the binary image and an image in which white-background areas are expanded by said expansion unit (FIG. 12, element 194; FIG. 20, element 194; column 4, lines 55-67 and column 5, lines 54-67). Modifying Hayashi's method of processing input images according to Sakano would able to distinguish, keep track of white-background pixels in the image processing, and further expand the white-background pixel according to the count unit for further image processing. This would improve processing and therefore, it would have been obvious to one of the ordinary skill in the art to modify Hayashi according to Sakano.

Art Unit: 2623

***Allowable Subject Matter***

8. Claims 14 and 15 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.


***Contact Information***

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian Q Le whose telephone number is 703-305-5083. The examiner can normally be reached on 8:30 A.M - 5:30 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amelia Au can be reached on 703-308-6604. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-5397 for regular communications and 703-308-5397 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3900.

BL  
February 10, 2005

A handwritten signature in black ink, appearing to read 'SAMIR', with a long, sweeping horizontal line extending to the right.

**SAMIR AHMED  
PRIMARY EXAMINER**